

List of Tables

	<u>Page</u>
1. Detroit Edison daily impingement data sheets from the Monroe plant for July 22, 1975, and September 9, 1975, indicating large numbers of young fish in the test screenwells which were not included in the totals . . . . .	13
2. Data base used in comparison of 316(b) and alternative methodologies for estimating gizzard shad impingement, August 1975 . . . . .	16
3. Estimates of impingement at the Monroe Power Plant for June 1975-May 1976, calculated from Detroit Edison's daily impingement data sheets . . . . .	18
4. Sampling errors for annual impingement estimates expressed as percentages of those estimates . . . . .	28
5. Correlation matrices for daily impingement estimates [transformed by $\log_{10}(x + 1)$ ] vs. intake temperature and intake flow components . . . . .	30
6. ANOVA tables showing differences between daily entrainment estimates for fish larvae from 1-m depth and from 3-m depth in the main intake canal, calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ] . . . . .	45
7. ANOVA table showing difference between daily entrainment estimates for fish eggs from 1-m depth and from 3-m depth in the main intake canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ] . . . . .	46
8. ANOVA tables showing differences between daily entrainment estimates for macrozoobenthos from 1-m depth and from 3-m depth in the main intake canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ] . . . . .	47
9. Diurnal variations in numbers of total fish larvae collected during 12-h periods at stations in main intake canal . . . . .	49

10.	Diurnal variations in numbers of total macrozoobenthic organisms collected during 12-h periods at stations in main intake canal . . . . .	49
11.	Example of Detroit Edison's daily entrainment data sheets showing adult fish collected in samples . . . . .	51
12.	ANOVA tables showing differences between daily entrainment estimates for fish larvae from the main intake canal and from the secondary intake canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10} (x + 1)$ ] . . . . .	52
13.	ANOVA tables showing differences between daily entrainment estimates for fish eggs from the main intake canal and from the secondary intake canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10} (x + 1)$ ] . . . . .	53
14.	ANOVA tables showing differences between daily entrainment estimates for macrozoobenthos entrained from the main intake canal and from the secondary intake canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10} (x + 1)$ ] . . . . .	54
15.	Variations in numbers of fish larvae collected at 1-m and 3-m depths in discharge canal . . . . .	56
16.	ANOVA tables showing differences between daily entrainment estimates for fish larvae from the main intake canal and from the discharge canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10} (x + 1)$ ] . . . . .	58
17.	ANOVA table showing difference between daily entrainment estimates for fish eggs from the main intake canal and from the discharge canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10} (x + 1)$ ] . . . . .	59

18.	ANOVA tables showing differences between daily entrainment estimates for macrozoobenthos from the main intake canal and from the discharge canal; calculated from counts on Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ]	60
19.	Weekly estimates of entrainment of fish eggs and larvae at the Monroe Power Plant for April 1975-May 1976, based on counts from Detroit Edison's daily entrainment data sheets	65
20.	Comparison of weekly and annual estimates of entrainment of fish larvae, as shown in Table 4.4-2 of the 316(b) and Table 19 of the present report	93
21.	Percentage composition by taxon of fish larvae entrained annually	96
22.	Sampling errors for annual fish larvae entrainment estimates, expressed as percentages of those estimates	97
23.	Correlation matrices for daily estimates of fish larvae entrained vs. intake flow components, based on counts from Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ]	98
24.	Comparison of weekly and annual estimates of entrainment of fish eggs as shown in Table 4.4-2 of 316(b) and Table 19 of the present report	100
25.	Examples of egg entrainment estimates calculated in the present report with those calculated in the 316(b)	101
26.	Number of eggs collected per station at intake and discharge, from Detroit Edison's daily entrainment data sheets	103
27.	Percentage composition by taxon of fish eggs entrained annually	105
28.	Examples of Detroit Edison's test screenwell tally sheets showing eggs observed on test screens and in holding pool	106

29.	Sampling errors for annual fish egg entrainment estimates, expressed as percentages of those estimates . . . . .	108
30.	Comparison of Detroit Edison's 24-h estimates of macrozoobenthos entrainment at the Monroe Power Plant (as presented in Table 4.4-3 of the 316(b)), with 24-h estimates from the present report . . . . .	110
31.	Monthly entrainment estimates for macrozoobenthos, May 1975-April 1976, based on counts from Detroit Edison's daily entrainment data sheets . . . . .	112
32.	Sampling errors for annual macrozoobenthos entrainment estimates, expressed as percentage of those estimates . . . . .	116
33.	Correlation matrices for daily estimates of macrozoobenthos entrained vs. intake components, based on counts from Detroit Edison's daily entrainment data sheets [transformed by $\log_{10}(x + 1)$ ] . . . . .	117
34.	Zooplankton species collected in the vicinity of the Monroe plant between 1970 and 1975 . . . . .	119
35.	Mean annual abundance of zooplankton at the Monroe plant intake in 1975 . . . . .	120
36.	Density of benthic invertebrates in the vicinity of the Monroe plant . . . . .	128

List of Figures

	<u>Page</u>
1. Location of Monroe Power Plant with respect to Lake Erie and the Raisin River . . . . .	4
2. Monroe Power Plant, indicating location of test screenwells . . . . .	7
3. Number of circulating pumps operating on 168 days when impingement samples were collected during June 1975-May 1976 . . . . .	12
4. Impingement by month for all species combined (June 1975-May 1976), showing 95% confidence intervals . . . . .	21
5. Impingement by month for gizzard shad (June 1975-May 1976), showing 95% confidence intervals . . . . .	22
6. Impingement by month for shiners (June 1975-May 1976), showing 95% confidence intervals . . . . .	23
7. Impingement by month for yellow perch (June 1975-May 1976), showing 95% confidence intervals . . . . .	24
8. Impingement by month for white bass (June 1975-May 1976), showing 95% confidence intervals . . . . .	25
9. Impingement by month for freshwater drum (June 1975-May 1976), showing 95% confidence intervals . . . . .	26
10. Length-frequency distribution of yellow perch . . . . .	33
11. Entrainment of fish larvae (all species combined) by week for April 1975-May 1976, as calculated from Detroit Edison's daily entrainment data sheets . . . . .	94
12. Entrainment of fish eggs (all species combined) by week for April 1975-May 1976, as calculated from Detroit Edison's daily entrainment data sheets . . . . .	109
13. Comparison of stations sampled in 1975 MDNR larval fish survey with stations selected by Detroit Edison for use in the 316(b) . . . . .	123